

Kolor Kut Gasoline Gauging Paste

1. IDENTIFICATION

Product Name:	Kolor Kut Gasoline Gauging Paste
Product Code:	KK-GGP
Product Use:	Top level indicator paste in Petroleum Products
Manufacturer:	KOLOR KUT PRODUCTS CO. LTD
Physical Address:	7915 E. ELM STREET
	HOUSTON, TX 77012
Mailing Address:	P.O. BOX 5415
	HOUSTON, TX 77262-5415
Phone Number:	713-926-4780
Email:	sales@kolorkut.com
Emergency Phone Number:	713-926-4780

2. HAZARD(S) IDENTIFICATION

GHS Classification

	Not Classified
GHS Label Elements	
Physical hazards:	Not classified.
Health hazards:	Not classified.
OSHA defined hazards:	Not classified.
Label elements	
Hazard symbol:	None.
Signal word:	None.
Hazard statement:	
Precautionary statement	
Prevention:	Wash thoroughly after handling.
Response If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage:	Store in cool, dry area in original or equivalent container in
accordance with all applicable regulations. Do not expose to extreme heat or flame. Store below 150°F. Do not freeze for preservation of product only.	

Disposal: Dispose of waste and residues in accordance with local authority requirements.



Kolor Kut Gasoline Gauging Paste

3. COMPOSITION/INFORMATION ON INGREDIENTS

No Hazardous Ingredients (29 CFR 1910.1200)

• NO toxic chemicals subject to the reporting requirements of Section 313 of Title III and of 40 CFR 372 are present.

Chemical Name	CAS Number	%
Organic Alcohol	*57-55-6	*
Surfactant/Emulsifier	*106-11-6	*
Dye	*547-58-0	*
Pigment	*13463-67-7	*

This material contains a *PH Inhibitor; approx. .5% by weight

*Designates that the chemical identity and exact percentage of the composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Inhalation:Not applicable to this product.Ingestion:Do not induce vomiting and give large quantities of water. Get medicalattention if nausea or stomach pain occurs.Use clean cloth – wash with soap & water.Skin Contact:Use clean cloth – wash with soap & water.Eye Contact:Flush eyes with clean water for at least 15 minutes. If irritation occurs,call a physician.State of the state of the st

5. FIRE-FIGHTING MEASURES

Suitable Media: Not Suitable:	Standard dry chemical, Foam, CO ₂ , Water-fog
Combustion Products: Special Protective	Smoke, Fumes, Carbon Monoxide.
Equipment for Fire-Fighters	: Wear a NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.
Explosion Hazards:	In the presence of mechanical impact or static discharge: no explosion risk
Fire Fighting Measures:	Use foam, CO2, dry chemical, water fog. Water can be used to keep containers cool and to flush spills away from fire exposure. Firefighters must wear self-contained breathing apparatus in enclosed areas



Kolor Kut Gasoline Gauging Paste

6. ACCIDENTAL RELEASE MEASURES

Personal Precaution	s:	Wear appropriate personal protection equipment. (See Section 8)
Environmental Preca	autions:	Avoid discharge into drains, water courses or onto the ground.
Small Spill:		product. Add sand, earth or some other suitable absorbent. aterial in accordance with all local, state & federal
Large Spill:	impounding.	keep product out of sewers and watercourses by diking or Advise authorities if product has entered sewers, s or extensive land areas.

7. HANDLING & STORAGE

Handling: Wear appropriate personal protection equipment (See Section 8). Wash hands thoroughly after handling. Do not get in eyes. Follow good hygiene and housekeeping practices. Use in ventilated areas.
Storage: Store in cool, dry area in original or equivalent container in accordance with all applicable regulations. Do not expose to extreme heat or flame. Store below 150 degrees Fahrenheit.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Biological Limit Values:	No biological exposure limits noted for the ingredient(s).
Control Parameters:	No occupational exposure limits.
Engineering Controls:	Use good industrial hygiene practice and adequate ventilation.
Eye/Face Protection:	Safety Glasses with side shields.
Hand Protection:	Oil impervious gloves recommended or as required.
Skin Protection:	No additional protection required beyond normal industrial attire
	is required.
Respiratory Protection:	No special measures required.



Kolor Kut Gasoline Gauging Paste

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance	
Physical State:	Solid
Form:	Semi-Solid
Color:	Light Pink
Odor:	Slight Odor
pH:	Not Applicable
Melting point/freezing point:	120°F
Initial boiling point and boiling:	212°F
Flash Point:	+365° Fahrenheit (185° Celsius)
Evaporation Rate:	<1 (Ether=1)
Upper Flammability Limit:	No Data
Lower Flammability Limit:	No Data
Vapor Pressure:	.1
Vapor Density:	<1
Relative Density:	1
Solubility:	Yes
Viscosity:	No data
Partition coefficient	
(n-octanol/water):	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Explosive properties:	Not explosive.

10. STABILITY & REACTIVITY

Reactivity:	The product is stable and non-reactive under normal
	conditions of use, storage and transport.
Chemical Stability:	Stable
Conditions to avoid:	Extreme heat.
Incompatible Materials:	Strong oxidizers, acids
Hazardous Decomposition Products: Carbon monoxide, Smoke Fumes	



Kolor Kut Gasoline Gauging Paste

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:	No ingredients reported to be acutely toxic.
Irritation:	May cause mild redness and discomfort on contact with eyes.
Corrosivity:	No ingredients reported to be corrosive.
Sensitization:	No ingredients reported to be respiratory or skin sensitizers.
Germ Cell Mutagenicity:	No ingredients reported to have mutagenic effects.
Carcinogenicity:	No ingredients reported to be carcinogenic.
Reproductive Toxicity:	No ingredients reported to have reproductive effects.
STOT – Single Exposure:	No ingredients reported to have specific target organ toxicity single exposure effects.
STOT – Repeated Exposure:	Not classified.
Aspiration Hazard:	No data available.
Chronic Effects:	May cause dermatitis in individuals with pre-existing skin disorders.

12. ECOLOGICAL INFORMATION

Ecotoxicity:	No ingredients reported to be dangerous for the environment.
Persistence/degradability:	No data
Mobility:	No data
Bioaccumulative potential:	No data available on bioaccumulation.

13. DISPOSAL CONSIDERATIONS

Waste Disposal:	Dispose of in accordance with local, state, and federal regulations.
Hazardous Waste Code:	The waste code should be assigned in discussion between the
	user, the producer and the waste disposal company.

14. TRANSPORT INFORMATION

DOT (US):	Not Regulated
IMDG:	Not Regulated
IATA:	Not Regulated



Kolor Kut Gasoline Gauging Paste

15. REGULATORY INFORMATION

US Regulations

No ingredient in this product is subject to the reporting requirements of SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) or CERCLA (40 CFR 302.4)

<u>State Regulations</u> California Prop 65: Massachusetts Right to Know: New Jersey Right to Know: Pennsylvania RTK Hazardous Substances:	No ingredients listed No ingredients listed No ingredients listed No ingredients listed
United States Inventory (TSCA):	All ingredients are listed or exempt.
International Regulations: Canada: WHMIS Classification: WHMIS:	Not controlled. This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.
Canada Domestic Substances List: Europe inventory (EINECS): Australia inventory (AICS): China inventory (IECSC): New Zealand Inventory of Chemicals (NZIOC): Philippines inventory (PICCS):	All ingredients listed or exempt. All ingredients listed or exempt.




Kolor Kut Gasoline Gauging Paste

16. OTHER INFORMATION

Hazardous Material Information System (USA):

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	В

National Fire Protection Association (USA):



HS-Tariff Classification Number: ECCN Number:

9026107000 EAR99-NLR

Issue Date: Revision Information: Disclaimer:

January 1, 2024 Original GHS Issue This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.